



# Iceland zxdc48 fb150b1

What is zxdc48 fb150b1?

Technical Parameters Introduction ZXDC48 FB150B1 is the new generation of SmartLi battery, which adopts advanced lithium technology for telecom site. It is compact design with enhanced anti-theft function. New technology enables step-by-step investment evolution. Product Features 3U height with excellent cycle life Large charge

What is the battery capacity of ZTE zxdc48 fb150c1?

The ZTE ZXDC48 FB150C1 lithium-ion battery is designed for backup or cycle use with a capacity of 150Ah. It has a large charge and discharge current of up to 100A and can connect up to 15 batteries in parallel. The battery uses LiFePO4 material and has a rated capacity of 150Ah at 25°C with a cut-off voltage of 42V and energy of 7200Wh.

When does zxdc48 fb150c1 lithium-ion battery expire?

ZTE hereby solemnly informs you that the EOM date of ZXDC48 FB150C1 Lithium-ion Battery is July 20, 2022. and the EOL plan is shown in the following table. After the EOM date, ZTE will no longer accept orders of this product. You can purchase spare parts before LTBS.

What is zxdc48 fb100b3 battery?

Data sheet - ZXDC48 FB100B3 Lithium-ion Battery - Free download as PDF File (.pdf), Text File (.txt) or read online for free. The ZXDC48 FB100B3 SmartLi battery is a 100Ah lithium-ion battery that can be used in parallel with lead-acid batteries at telecom sites. It is compact at 3U height, supports a 19" rack, and has excellent cycle life.

How can zxdc48 fb150b1 detect battery theft?

Communication Altitude 0m~4000m 1 ZXDC48 FB150B1 can lock the battery output automatically when battery is stolen, and should be unlocked by authorized operators. There are multiple methods for detecting battery theft, including gyroscope, anti-theft cable, communication. Note: Any data sheet issued previously is invalid.

What is the discharge current of zxdc48 fp50a lithium ion battery?

The discharge current must be less than 30A when the mode. lithium-ion battery system, see Figure 6-1. For the discharging magnification characteristics @ 25 °C of the ZXDC48 FP50A lithium ion battery system, see Figure 6-2.

The ZXDC48 FP50A is applicable to outdoor base stations installed in pole-mounted mode or wall-mounted mode, providing backup power supplies to communication equipment (such as access-network equipment, remote office ...

?????? ZXDC48 FB101 ????????, ?????????????????? ??????????????????, ????????bms(????? ...

??????ZXDC48

FB101????????,????????????????

????????????????????,???????bms(?????)????,???????pylontech??logo?

Web: <https://www.nowoczesna-promocja.edu.pl>

