

What types of batteries does Jauch offer?

Today, we offer a wide range of primary lithium batteries and rechargeable battery systems. Many of our batteries are available directly from stock. Customized battery systems with a battery management system. Jauch provides complete solutions for your battery system according to your requirements.

What solutions does Jauch offer?

Jauch provides complete solutions for your battery system according to your requirements. Standard cells and customized packs, from simple cells to intelligent battery packs for the most demanding applications. Individual Solutions We take care of special requests for design-in as well as all relevant safety aspects.

Where can I learn more about Jauch battery solutions and frequency control products?

Visit us at booth A5.502 to learn more about our battery solutions and frequency control products. Jauch is expanding its range of high-performance lithium ion round cells with two new designs: LI18650 and LI21700. These new cells are ideal for medical technology, power tools and industrial applications.

Where are Jauch batteries made?

Manufacturing in Villingen-Schwenningen Jauch production in Villingen-Schwenningen: Customized battery packs for medical or safety technology or the automotive industry, for example, where special requirements often have to be met, are manufactured here in ESD-protected rooms.

Are Jauch batteries tested?

UN 38.3 and other tests Jauch batteries and battery packs are subjected to extensive testing. In our in-house test center, we can perform all individual tests of the UN 38.3 transport test ourselves.

Who is Jauch quartz GmbH?

Jauch Quartz GmbH is one of the "Global Market Leader Champions" in 2024. The award is based on a scientific study conducted every year at the University of St. Gallen. Jauch has already been named a "Future Champion" several times. Now, for the first time, the company has joined the ranks of the "Global Market Leader Champions".

Jauch Battery Solutions o Reliable energy for your application o Standard cells and customized packs o ESD protection o Battery Certification Experts SPECIFICATIONS CHARGING CHARACTERISTICS PER BATTERY PACK Model LI18650JC-26 1s1p Charge Voltage 4.2 V Jauch No. 250262 Standard Current 1250 mA ...

Jauch Battery Solutions o Reliable energy for your application o Standard cells and customized packs o ESD protection o Battery Certification Experts @21 ±2°C SPECIFICATIONS CHARGING

CHARACTERISTICS PER BATTERY PACK Model LP503040JH Charge Voltage 4.2 V Jauch No. 246508
Standard Current 0.2 C (120 mA) ...

Jauch Battery Solutions o Reliable energy for your application o Standard cells and customized packs o ESD protection o Battery Certification Experts @21 ±2°C SPECIFICATIONS CHARGING CHARACTERISTICS PER BATTERY PACK Model LP735977JH Charge Voltage 4.2 V Jauch No. 246524
Standard Current 0.2 C (960 mA) ...

Jauch Battery Solutions o Reliable energy for your application o Standard cells and customized packs o ESD protection o Battery Certification Experts SPECIFICATIONS CHARGING CHARACTERISTICS PER BATTERY PACK Cell Used LI21700JSV-50 Charge Voltage 4.2 V Jauch No. 251511 ...

Jauch Battery Solutions o Reliable energy for your application o Standard cells and customized packs o ESD protection o Battery Certification Experts SPECIFICATIONS CHARGING CHARACTERISTICS PER BATTERY PACK Model LP443441JU Charge Voltage 4.2 V Jauch No. 246509 Standard Current 0.2 C (130 mA) ...

Jauch Battery Solutions o Reliable energy for your application o Standard cells and customized packs o ESD protection o Battery Certification Experts SPECIFICATIONS CHARGING CHARACTERISTICS PER BATTERY PACK Model LP503759JU Charge Voltage 4.2 V Jauch No. 246517 Standard Current 0.5 C (675 mA) ...

Jauch Battery Solutions o Reliable energy for your application o Standard cells and customized packs o ESD protection o Battery Certification Experts SPECIFICATIONS CHARGING CHARACTERISTICS PER BATTERY PACK Model LP851719JU Charge Voltage 4.2 V Jauch No. 237924 Standard Current 0.2 C (40 mA)

Jauch Battery Solutions o Reliable energy for your application o Standard cells and customized packs o ESD protection o Battery Certification Experts SPECIFICATIONS CHARGING CHARACTERISTICS PER BATTERY PACK Model LI18650JLS HB 1S2P Charge Voltage 4.2 V Jauch No. 250480 Standard Current 1300 mA ...

Jauch Battery Solutions - Reliable energy for your application - Standard cells and customized packs - ESD protection - Battery Certification Experts Discharge Time (h) Voltage (V) At +25oC 1 10 100 1,000 10,000 100,000 1.0 1.5 2.0 2.5 3.0 3.5 4.0 RoHS 2011/65/EC RoHS compliant Pb free mineral free REACH compliant VOLTAGE VS. TEMPERATURE

Jauch Battery Solutions o Reliable energy for your application o Standard cells and customized packs o ESD protection o Battery Certification Experts SPECIFICATIONS CHARGING CHARACTERISTICS PER BATTERY PACK Cell Used LI ICR18650-26 1s1p Charge Voltage 4.2 V Jauch No. 243128 Standard Current 0.5 C ...

Jauch Battery Solutions o Reliable energy for your application o Standard cells and customized packs o ESD protection o Battery Certification Experts SPECIFICATIONS CHARGING CHARACTERISTICS PER BATTERY PACK Model LP504783JU Charge Voltage 4.2 V Jauch No. 246521 Standard Current 0.5 C (1050 mA) ...

We are JAUCH; Image movie; Figures; OUR MANAGEMENT; News; Trade Shows and Events; ISO 9001; ISO 14001; CCF; Worldwide; Industries; Careers. Jauch as an Employer ... View the catalogue now and learn more about our extensive product and service portfolio and our customized battery solutions. Zum Download . The Jauch specialists are happy to ...

Die Jauch Battery Solutions GmbH kann für die Aktualität, Richtigkeit, Vollständigkeit und/oder Qualität dieser Website keinerlei Verantwortung übernehmen. Die Jauch Battery Solutions GmbH schließt jegliche Haftung für Schäden, die direkt oder indirekt aus der Benutzung dieser Website oder durch das Herunterladen von Daten von dieser ...

Jauch Battery Solutions o Reliable energy for your application o Standard cells and customized packs o ESD protection o Battery Certification Experts SPECIFICATIONS CHARGING CHARACTERISTICS PER BATTERY PACK Model LP333437JU Charge Voltage 4.2 V Jauch No. 246502 Standard Current 0.2 C (86 mA) ...

Battery Technology. Jauch provides complete solutions for your battery system according to your requirements - standard cells and custom packs, from simple cells to intelligent battery packs ...

Jauch can offer complete battery solutions for your system according to your technical requirements - from standard batteries using single cells to multi-cell, customized packs with intelligent microprocessor control for ...

Web: <https://www.nowoczesna-promocja.edu.pl>

